

No. AP-104

* * * Section 1 - Chemical Product and Company Identification * * *

Product Name : TREBLE

Product Use : Polymer Blend Slow Release Agent for UAN Solutions &

Anhydrous Ammonia

Synonyms : None

Manufacturer/Supplier : Atlantic-Pacific Agricultural Company, Inc.

Address : 427 Ridge Street, Reno, NV 89509

Corporate Telephone Number : 941-474-8382 Emergency Telephone Number : 336-260-3121

* * * Section 2 - Hazards Identification * * *

Emergency Overview

Appearance : liquid
Color : dark amber
Odor : aromatic
Eye irritation : Category 2A
Carcinogenicity : Category 2

Specific target organ systemic : Category 3 (Central nervous system)

toxicity - single exposure

Aspiration hazard : Category 1
Acute aquatic toxicity : Category 2
Chronic aquatic toxicity : Category 2







Hazard Pictograms :

Signal Word : DANGER

Hazard Statements : H304 May be fatal if swallowed and enters airways.

H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness H351 Suspected of causing cancer.

H411 Toxic to aquatic life with long lasting effects.

Precautionary Statements : Prevention:

P201 Obtain special instructions before use. P273 Avoid release to the environment.

P281 Use personal protective equipment as required.

Response:

P301 + P310 IF SWALLOWED: Immediately call a POISON

CENTER or doctor/ physician. P331 Do NOT induce vomiting.

Page | 1 Issue Date: 05/29/2015 Original SDS



No. AP-104

Potential Health Effects

Inhalation : Inhalation of aerosols may cause irritation to mucous membranes.

Thermal decomposition can lead to release of irritating gases and vapors.

Contains organic solvents.

May be fatal if swallowed and enters airways.

Inhalation may cause central nervous system effects.

Skin : Causes mild skin irritation.

Eyes : Causes serious eye irritation.

Ingestion : May cause irritation of the mucous membranes.

May be fatal if swallowed and enters airways.

Aggravated Medical Condition : None known.

Symptoms of Overexposure : No information available.

Carcinogenicity:

IARC : Group 2B: Possibly carcinogenic to humans Naphthalene 91-20-3

OSHA : No ingredient of this product present at levels greater than or equal to 0.1%

is identified as a carcinogen or potential carcinogen by OSHA.

NTP : Reasonably anticipated to be a human carcinogen Naphthalene 91-20-3

Confirmed animal carcinogen with unknown relevance to humans.

ACGIH : Solvent naphta (petroleum), heavy arom. 67472-94-5

	* * * Section 3 - Composition / Information on Ingredients * * *						
CAS#	Classification	Component	Percent				
Proprietary	Eye irrit. 2A; H319	Proprietary surfactant blend Component	30-50				
Proprietary	Acute Tox. 4; H302 Eye Dam. 1l H318 Aquatic Acute H401 Aquatic Chronic 2; H411	Proprietary surfactant blend Component	5-10				
64742-94-5	Flam, Liq. 4; H227 STOT SE 3; H336 Asp. Tox. 1; H304 Aquatic Acute 2; H401 Aquatic Chronic 2; H411	Solvent naphta (petroleum, heavy arom.	30-50				
95-63-6	Flam. Liq. 3; H226 Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Irrit. 2A; H319 STOT SE 3; H335 Aquatic Chronic 2; H411	1,2,4-trimethylbenzene	5-10				
91-20-3	Acute Tox. 4; H302 Carc. 2; H351 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute): 1	Naphthalene	1 - 5				

For the full text of the H-Statements mentioned in this Section, see Section 16.

Page | 2 Issue Date: 05/29/2015 Original SDS



No. AP-104

* * * Section 4 - First Aid Measures * * *

General advice : Move out of dangerous area. Consult a physician. Show this

material safety data sheet to the doctor in attendance.

If breathed in, move person into fresh air.

Inhalation : Consult a physician after significant exposure.

Skin contact : Take off contaminated clothing and shoes immediately.

Wash the skin immediately with soap and water.

If skin irritation persists, call a physician.

Eye contact : Rinse with plenty of water.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

Obtain medical attention.

Ingestion : Clean mouth with water and drink afterwards plenty of water.

Do NOT induce vomiting.

Never give anything by mouth to an unconscious person.

Obtain medical attention.

Notes to physician

Symptoms : No information available. Risks : No information available. Treatment : No information available.

* * Section 5 - Fire Fighting Measures * * *

Suitable extinguishing media : Alcohol-resistant foam

Dry chemical

Unsuitable extinguishing

media

High volume water jet

Specific hazards during firefighting / Specific hazards

righting / Specific nazards

arising from the chemical

Treat as oil fire.

Water spray may be ineffective unless used by experienced

firefighters.

Do not allow run-off from fire-fighting to enter drains or water

courses.

Special protective equipment

for fire fighters

In the event of fire, wear self-contained breathing apparatus.

Combustion products . Carbon oxides.

Further information. Collect contaminated fire extinguishing water separately. This

must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. For safety reasons, in case of fire, cans should be stored separately in closed containers. See also Section 9. Physical and Chemical Properties:

Safety Data

Page | 3 Issue Date: 05/29/2015 Original SDS



No. AP-104

* * * Section 6 - Accidental Release Measures * * *

Personal Precautions : Use personal protective equipment.

Ensure adequate ventilation.

Environmental Precautions: Insoluble in water and will float on water surface. If possible

skim or vacuum product from the surface of the water. Report any spills and follow regulatory requirements.

Dike area of spill to prevent spreading and pump liquid to salvage tank.

Prevent from entering sewers and/or drains.

Should this product enter sewers or drains, it should be pumped put into an open vessel. Emergency services may need to be called to

assist in this operation.

Methods for Containment/Cleanup. : Wear protective equipment. Neutralize product with acid. Soak up with

inert material (e.g. silica gel, acid binder, sand, universal binder, sawdust. Keep in suitable, closed-labeled containers for disposal.

Evacuation Procedures : Evacuate unnecessary personnel.

* * * Section 7 - Handling and Storage * * *

Handling Procedures

Advice on safe handling : For personal protection, see Section 8.

Smoking, eating and drinking should be prohibited in the application

area.

Dispose of rinse water in accordance with local and national

regulations.

Avoid contact with skin and eyes.

Advice on protection against

fire and explosion

: Avoid formation of aerosol.

Keep away from sources of ignition - No smoking. No sparking tools

should be used.

Take measures to prevent the buildup of electrostatic charge.

Storage

Requirements for storage areas

And containers

: Prevent unauthorized access.

No smoking.

Keep containers labeled and tightly closed in a dry and well

Ventilated place.

Other data : No decomposition if stored and applied as directed.

Page | 4 Issue Date: 05/29/2015 Original SDS



Safety Data Sheet No. AP-104

Section 8 - Exposure Controls / Personal Protection * * *

Ingredients	CAS-No.	Value	Control parameters	Update	Basis	
Solvent napta (petroleum), heavy arom.	6742-94-5	TWA	500 ppm 2000 mg/m3	2007-01-01	OSHA Z-1	
		TWA	200 mg/m3	2010-03-01	AGCIH	
		Further Information:	Central Nervous System Impairment. Upper Respiratory Tract irritation. Skin irritant. Application restricted to conditions in which there are negligible aerosol exposures. A3: Confirmed animal carcinogen with unknown relevance to humans. Skin: Danger of cutaneous absorption. Varies: varies as total hydrocarbon vapor.			
		TWA	400 ppm 1,600 ppm	1989-01-19	OSHA P0	
1,2,4- Trimethylbenzene	95-63-6	TWA	25 ppm 1,600 mg/m3	2005-09-01	NIOSH REL	
				2005-09-01	N	NOSH RE
		Further information:	Hemimellitene is a mixture the 1,2,3-isomer with up to 10% related aromatics such as the 1,2,4-isomer.			
Naphthalene	9120-3	TWA	10ppm	2013-03-01	ACGIH	
		Further Information	Hematologic effects Upper Respiratory Tract irritation Eye damage (): Adopted values or notations enclosed are those for which changes are proposed in the NIC. See Notice of Intended Changes (NIC) A4: Not classifiable as a human carcinogen Skin: Danger of cutaneous absorption.			
CTEL		STEL	15 ppm	2013-03-1	AGCIH	
		Further Information	Hematologic effects Upper Respiratory tract irritation Eye irritation Eye damage (): Adopted values or notations enclosed are those for which changes are proposed in the NIC. See Notice of Intended Changes (NIC) A4; Not classifiable as a human carcinogen Skin: Danger of cutaneous absorption.			
		TWA	10 ppm 50mg3	2005-09-01	NIOSH REL	
		ST	15 ppm 75 mg/m3	2005-09-01	NIOSH REL	
		TWA	10 ppm 50mg/m3	1997-08-04	OSHA Z-1	
		Further information	(b): the value in mg/m3 is approximate		00111	
		TWA	10 ppm 50 mg/3	1989-01-19	OSHA P0	
		STEL	15 ppm 75 mg/m3	1981-01-19	OSHA P0	

STEL: Short Term Exposure Limit Time Weighted Average TWA:

Page | 5 Original SDS Issue Date: 05/29/2015



No. AP-104

Engineering measures

Effective exhaust ventilation : Ensure that eyewash stations and safety showers are close to

system

workstation location.

Personal protective equipment

Eye/face protection : Tightly fitting safety goggles

Hand protection : Glove material: For prolonged or repeated contact use

protective gloves.

Glove material: Protective gloves complying with EN 374.

Skin and body protection : Protective suit

Respiratory protection : In the case of vapor or aerosol formation use a respirator with

an approved filter.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice.

When using do not eat or drink. When using do not smoke.

Wash hands before breaks and at the end of workday

General advice : Do not flush into surface water or sanitary sewer system.

If the product contaminates rivers and lakes or drains inform

respective authorities.

* * * Section 9 - Physical & Chemical Properties * * *

Appearance

Form : Liquid
Color : Dark amber
Odor : Aromatic

Odor Threshold : No data available

Safety Data

pH : 10-12 @ 5%solution Melting point/freezing point : No data available Boiling point/range : No data available

Flash Point : >200°C Method: Pensky-Martens closed cup

Evaporation rate : No data available Flammability (solid, gas) : Not applicable Lower explosion limit : No data available Vapor pressure : No data available

Relative density : 1.0 at 25°C (8.33 lbs./gal)

Water solubility : Emulsifies in water Solubility in other solvents : No data available

Partition coefficient: N- : No data available

Auto-ignition temperature : >496°C

Page | 6 Issue Date: 05/29/2015 Original SDS



No. AP-104

Decomposition temperature : No data available Viscosity, dynamic : No data available Viscosity, kinematic : No data available Explosive properties : Not explosive

Oxidizing properties : The substance/mixture is not classified as oxidizing.

This Safety Data Sheet only contains information relating to safety and does not replace any product information or product specification.

* * * Section 10 - Chemical Stability & Reactivity Information * * *

Materials to avoid : None known.

Chemical Stability : Stable under recommended storage conditions. Hazardous decomposition : No hazardous decomposition products are known.

Product

Thermal decomposition : No data available

Reactivity : Stable under normal conditions

Hazardous reactions : No dangerous reaction known under condition of normal use.

Conditions to avoid : High temperatures.

* * * Section 11 - Toxicological Information * * *

Product Information Toxicology assessment

Further information : Symptoms of overexposure may be headache, dizziness, tiredness,

nausea and vomiting. Concentrations substantially above the TLV value may cause narcotic effects. Solvents may degrease the skin. Suspected of causing cancer. May cause drowsiness or dizziness.

Test Results

Acute oral toxicity : Acute toxicity estimate: >5000 mg/kg

Method: Calculation method.

Acute inhalation toxicity : Acute toxicity estimate: >40mg/l

Exposure time: 4 h Test atmosphere: vapor Method: Calculation

Carcinogenicity:

IARC : Group 2B: Possibly carcinogenic to humans: Naphthalene 91-20-3.
OSHA : No ingredient of this product present at levels greater than or equal to

0.1% is identified as a carcinogen or potential carcinogen by OSHA.

NTP : Reasonably anticipated to be a human carcinogen. Naphthalene 91-

20-3.

ACIGH : Confirmed animal carcinogen with unknown relevance to humans:

Solvent naphta (petroleum) heavy arom. 64742-94-5

Toxicology Data for the ingredients

Toxicology Assessment Component Naphthalene

CMR effects : Carcinogenicity: Limited evidence of a carcinogenic effect.

Test result

Page | 7 Issue Date: 05/29/2015 Original SDS



No. AP-104

Component: Proprietary surfactant blend component

Acute oral toxicity : LD50: Species: rat

No data available

Eye irritation : Result; Irritating to eyes.

Component: Solvent naphta (petroleum) heavy arom.

Acute oral toxicity : LD50: >6,000 mg/kg

Species: rat

Skin irritation : Result: Repeated exposure may cause skin dryness or cracking/

Target Organ Systemic

Toxicant – Single exposure

May cause drowsiness or dizziness.

Aspiration toxicity : The substance/mixture is known to cause human aspiration toxicity

hazards or has to be regarded as if causes a human aspiration toxicity

hazard.

Component: 1,2,4-Trimethylbenzene

Acute toxicity : LC50: >10 mg/l

Exposure time: 4 h
Test atmosphere: vapor

Skin irritation : Result: Irritating to skin

Eye irritation : Result: Irritating to skin.

Target Organ Systemic Toxicant – Single exposure May cause respiratory irritation

Component: Naphthalene

Acute oral toxicity : LD50: 2,000 mg/kg

Species: rat

Method: Acute toxicity estimates

Skin irritation : Species: rabbit

Result: No skin irritation.

Method: OECD Test guideline 404

Literature data

Eye irritation : Species: guinea pig

Result: No eye irritation

Method: OECD test Guideline 405

Literature cited

Sensitization : Maximization Test (GPMT)

Species: guinea pig

Result: Does not cause skin sensitization. Method: OECD Test Guideline 406

Literature data.

Page | 8 Issue Date: 05/29/2015 Original SDS



No. AP-104

* * * Section 12 Ecological Information * * *

Product Information:

Ecotoxicology Assessment An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal. Toxic to aquatic life with long

lasting effects.

Further information on ecology Hazardous to the ozone layer

Regulation : 40 CFR Protection of Environment; Part 2 Protection of Stratospheric

Ozone - CAA Section 602 Class 1 Substances.

Remarks : This product neither contains, nor was manufactured with a Class I or

Class II ODS as defined by U.S. Clean Air Act Section 602 (40 CFR

82, Subpt. A, App. A +B).

Ingredients:

Ecotoxicology Assessment

Component: 1,2,4-Trimethylbenzene

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

Test result

Component: Proprietary surfactant blend component

Bioaccumulation : No data available
Mobility : No data available
Biodegradability : No data available

Further information on ecology

Biochemical Oxygen : No data available

Demand (BOD) :

Component: Solvent naphta (petroleum) heavy arom.

Ecotoxicity effects

Toxicity to fish : LC50; >1 – 10 mg/l

Exposure time: 96h Species: Fish

Read-across (Analogy)

Elimination information (persistence and degradability)

Bioaccumulation : No data available Mobility : No data available

Further information on ecology

Biochemical Oxygen : No data available Demand (BOD) : No data available

Page | 9 Issue Date: 05/29/2015 Original SDS



No. AP-104

Component: 1,2,4-Trimethylbenene

Ecotoxicity effects

Toxicity to algae : NOEC: 0.1 – 1 mg/l

Exposure time: 505 h Species: algae

Elimination information (persistence and degradability)

Bioaccumulation : No Data available Mobility : No data available

Biodegradability : Result: Not readily biodegradable.

Further information on ecology

Biochemical Oxygen : No data available

Demand (BOD) :

Component: Naphthalene

Ecotoxicity effects

Toxicity to fish

LC50: > 0.1 – 1 mg/l

Exposure time: 96h Species: Fish

Toxicity to daphnia and other

aquatic invertebrates

EC50: >1 – 10 mg/l Exposure time: 48 h

Species: Daphnia

Toxicity to algae : EC50: >1 - 10 mg/l

Exposure time: 48 h Species: Algae

M-Factor : 1

Elimination information (persistence and degradability)

Bioaccumulation : No data available Mobility : No data available

Biodegradability : Result: Not readily biodegradable,

Further information on ecology

Biochemical Oxygen : No data available

Demand (BOD)

Page | 10 Issue Date: 05/29/2015 Original SDS



No. AP-104

* * * Section 13 - Disposal Considerations * * *

Product : The product should not be allowed to enter drains, water courses or

the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Hazardous waste. Dispose of

contents/container in accordance with local regulations. Waste must

be disposed of in accordance with federal, state and local

environmental control regulations.

Contaminated packaging : Empty remaining contents. Dispose of as unused product.

* * * Section 14 - Transportation Information * * *

International regulation

IATA-DGR

UN/ID No. : UN3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s. (Nonylphenol

ethoxylate, Naphthalene, Aromatic petroleum distillate)

Class : 9
Packing group : III

Labels : 9
Packing instruction (cargo : 964

aircraft)

Packing instruction (LQ) : 964

(Passenger aircraft)

Packing instruction (LQ) : Y964 Environmentally hazardous : Yes

IMDG-Code

UN number : UN 3082

Proper shipping name : Environmentally hazardous substance. Liquid, n.o.s. (Nonylphenol

ethoxylate; Naphthalene, Aromatic, petroleum distillate)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine Pollutant : Yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Harmonized Tariff Systems (HTS Classification)

HTS code : 3824.90.9270

Domestic regulation

49 CFR

Page | 11 Issue Date: 05/29/2015 Original SDS



No. AP-104

UN/ID/NA number : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.; Class 9;

Packing group III; Labels 9; (Nonylphenol ethoxylate; Naphthalene,

Aromatic Petroleum Distillate)

Class : CBL
Packing group : III
Labels : 9
ERG Code : 171

Marine pollutant : Yes (Nonylphenol ethoxylate; Aromatic petroleum distillate 1.,2,4

trimethylbenzene)

Reportable Quantity : This product contains the following substance(s) which are

environmentally hazardous per 49 CFR 172.101, Appendix A:

(Nonylphenol ethoxylate),(Naphthalene).

* * * Section 15 - Regulatory Information * * *

Notification status

CH INV Switzerland : No. This mixture contains substances listed on the Swiss Inventory TSCA U.S. : Yes. All chemical substances in this product are either listed on the

TSCA inventory or in compliance with a TSCA inventory exemption.

DSL Canada : Yes. On the inventory, or in compliance with the inventory.

NZIoC New Zealand : No. Not in compliance with the inventory ENCS Japan : No. Not in compliance with the inventory ISHL Japan : No. No in compliance with the inventory

KECI Korea : Yes. On the inventory or in compliance with the inventory

PICCS Philippines : No. Not in compliance with the inventory IECSC China : No. Not in compliance with the inventory

For explanation of abbreviations, see Section 16.

OSHA Hazards : Liquid, Carcinogen, Harmful by ingestion, Severe Skin

Irritant, Severe Eye Irritant, Severe respiratory irritant.

EPCRA – Emergency Planning and Community Right-to-Know

CERCLA Reportable quantity

Ingredients: Naphthalene CAS-No.: 91-20-3 Component RQ: 100 lbs.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a Section 304 EHS RQ.

SARA 311/312 Hazards : Chronic Health Hazard; Acute Health Hazard.

SARA 302 : SARA 302: No chemicals in this material are subject to the reporting

requirements of SARA Title III, Section 302.

SARA 313 : The following components are subject to reporting levels established

by SARA Title III, Section 313: 1,2,4-Trimethylbenzene 95-63-6;

Naphthalene 91-20-3

Clean Air Act

The following chemicals are listed as HAP under the U.S. Clean /air Act, Section 12 (40 CFR 61): Naphthalene 91-20-3; 1,2-Propylene oxide 75-56-9.

Page | 12 Issue Date: 05/29/2015 Original SDS



No. AP-104

The following chemicals are listed under the U.S. Clean Air Act Section 112® for Accidental Release Prevention (40 CFR 68.130, Subpart F): 1,2-Propylene oxide 75-56-9.

The following chemicals are listed under the U.S. Clean Air Act Section 111 SOCMI intermediate or Final VOC's (40 CFR 60.489): 1,2-Propylene oxide 75-56-9.

Clean water act

The following Hazardous Substances are listed under the US. Clean Water Act, Section 311, Table 116.4A: Naphthalene 91-20-3; 1,2-Propylene oxide 75-56-9.

The following Hazardous Chemicals are listed under the U.S. Clean Water Act, Section 311, Table 117.3: Naphthalene 91-20-3; 1,2-Propylene oxide 75-56-9.

The following product contains toxic pollutants listed under the U.S. Clean Water Act, Section 307: Naphthalene 91-20-3.

California Prop. 65

WARNING! This product contains chemicals known in the State of California to cause cancer: Naphthalene 91-20-3; 1,2-Propylene oxide 75-56-9.

* * * Section 16 - Other Information * * *

Full text of H-Statements

H302	:	Harmful if swallowed.
H304	:	May be fatal if swallowed and enters
		airways.
H315	:	Causes skin irritation.
H319	:	Causes serious eye irritation.
H332	:	Harmful if inhaled.
H335	:	May cause respiratory irritation.
H336	:	May cause drowsiness or dizziness.
H351	:	Suspected of causing cancer.
H400	:	Very toxic to aquatic life.
H401	:	Toxic to aquatic life.
H410	:	Very toxic to aquatic life with long lasting
		effects.
H411	:	Toxic to aquatic life with long lasting
		effects.

Page | 13 Issue Date: 05/29/2015 Original SDS



No. AP-104

Further Information: National Fire Protection

Association (NFPA) Rating : Health: 2 Fire 0 Reactivity 0

NFPA Rating Level: 0-Minimum; 1-Slight; 2- Moderate; 3-High 3 High; 4-Extreme

OSHA H.M.I.S. Rating

Rating: Health: 2 Fire 0 Reactivity 0

OSHA Rating Level: 0-Minimum; 1-Slight; 2- Moderate; 3-High 3 High; 4-Extreme

Comments:

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process unless specified in the text.

SDS History

This is the original SDS/GHS formatted, May 29, 2015. This is the end of SDS ID: AP-104

Page | 14 Issue Date: 05/29/2015 Original SDS